

SHAPING THE AUSTIN WE IMAGINE

AUSTIN LAND DEVELOPMENT CODE

City Council
Format and Renaming

June 28, 2017



CODENEXT


28-JUN-17

FORMAT OF ZONE DISTRICT PAGES



T4 Main Street

23-4D-2140 T4 Main Street (T4MS)



A. General Intent
 To provide a focal point for neighborhoods that accommodates neighborhood-serving retail, service, and residential uses in compact, walkable urban form. Buildings shall have the following form characteristics:

- Attached or Semi-detached
- Small to Medium Lot Widths
- Block Form
- Small to No Front Setbacks
- Small to No Side Setbacks
- Up to 3 Stories
- Gallery, Shopfront, Terrace, Forecourt, and Lightwell Frontages, and Dooryard Frontage in Open Sub-Zone

B. Sub-Zone
 T4MS-Open Sub-Zone (T4MS-O)
 The Open sub-zone provides the same building form but allows for a more diverse mix of uses on the ground floor, including residential, thus enabling the retail and service area to mature over time.

General note: The drawing above is intended to provide a brief overview of this Transect Zone and is illustrative only.

City of Austin Land Development Code | Public Review Draft January 2017 4D-2 pg. 83

Neighborhood Commercial

23-4D-4060 Neighborhood Commercial (NC) Zone

23-4D-4060 Neighborhood Commercial (NC) Zone

A. General Intent
 The NC Zone is the designation for low intensity neighborhood serving retail and office uses located within walking distance to residential neighborhoods. The NC Zone provides convenient access to daily services and neighborhood amenities for local residents. Residential uses are allowed in the NC-O Zone only. Site development standards and performance standards applicable to uses in an NC Zone are designed to ensure that the use is compatible and complementary in scale and appearance with a neighborhood environment.

B. Sub-Zones
 NC-Limited (NC-L)
 NC-Open (NC-O)

City of Austin Land Development Code | Public Review Draft January 2017 pg. 1

T4 Main Street

Neighborhood Commercial



A. General Intent

To provide a focal point for neighborhoods that accommodates neighborhood-serving retail, service, and residential uses in compact, walkable urban form. Buildings shall have the following form characteristics:

- Attached or Semi-detached
- Small to Medium Lot Widths
- Block Form
- Small to No Front Setbacks
- Small to No Side Setbacks
- Up to 3 Stories

Gallery, Shopfront, Terrace, For
Frontages, and Dooryard Front

B. Sub-Zone

T4MS-Open Sub-Zone (T4MS-O)

The Open sub-zone provides the same building form but allows for a more diverse mix of uses on the ground floor, including residential, thus enabling the retail and service area to mature over time.

General note: The drawing is a brief overview of this Transect.

City of Austin Land Development Code

23-4D-4060
Neighborhood Commercial (NC) Zone

23-4D-4060 Neighborhood Commercial (NC) Zone

A. General Intent

The NC Zone is the designation for low intensity neighborhood serving retail and office uses located within walking distance to residential neighborhoods. The NC Zone provides convenient access to daily services and neighborhood amenities for local residents. Residential uses are allowed in the NC-O Zone only. Site development standards and performance standards applicable to uses in an NC Zone are designed to ensure that the use is compatible and complementary in scale and appearance with a neighborhood environment.

B. Sub-Zones

- NC-Limited (NC-L)
- NC-Open (NC-O)

City of Austin Land Development Code | Public Review Draft January 2017

pg. 1

T4 Main Street

23-40-2140
T4 Main Street (T4MS) Transect Zones

Lot Diagram

Building Envelope Diagram

Key for Diagrams

- ROW / Lot Line
- Rear Building Envelope
- Main Building Envelope
- Side Building Envelope

C. Lot Size and Building Types

Building Type	Lot		Building Envelope (max.)							
	Buildings per Lot (max.)	Units per Building (max.)	Width (min.)	Depth (min.)	Main		Rear		Side	
			A	B	C	D	E	F	G	H
Large House Form										
Rowhouse: Medium ¹	1	3	18'	100' ²	28'	48'	14'	54'	4'	18'
Block Form										
Live/Work ¹	1	1	18'	100' ²	28'	36'	14'	54'	4'	18'
Main Street	1	—	40'	100' ²	125'	100'	N/A	N/A	N/A	N/A
Accessory Building Form										
Accessory Dwelling Unit	1	1	—	—	28'	24'	N/A	N/A	N/A	N/A

Notes

Rear and side building envelopes shall be set back from the ROW/lot line farther than the main building envelope by 4' min. ¹

¹ Only allowed in the open sub-zone. Shall be built in a run with a minimum of 3 and a maximum of 4 attached buildings. Entire run shall not exceed 75' in length.

² 75' when adjacent to alley.

³ Buildings wider than 100' shall be designed to read as a series of buildings no more than 75' each.

Key for Subsection D N/A = Not Allowed — = No Requirement

4D-2 pg. 84 Public Review Draft January 2017 | City of Austin Land Development Code

Neighborhood Commercial

23-40-4060
Neighborhood Commercial (NC) Zone

Building Placement Diagram

Building Height Diagram

Key for Diagrams

- ROW / Lot Line
- Buildable Area
- Building Setback Line

IMAGES NEED TO BE UPDATED

C. Lot Size and Intensity

Lot Size	Dwelling Units per Acre	Floor Area Ratio
Lot Size	5,750 sf min.	
Intensity		
Limited Subzone	n/a	0.5
Open Subzone without Affordable Housing Incentive	12	0.5
Open Subzone with Affordable Housing Incentive ²	36	0.5

D. Building Placement

Setback Minimum (Distance from ROW / Lot Line)	Front	Side St.	Side	Rear
	A	B	C	D
Minimum	20'	15'	5'	5'
Except When Adjacent to Any Low to Medium Intensity Residential Zone and/or T3 Transect Zone.				
Lots ≤ 75' wide	15'	15'	10'	30'
Lots > 75' wide	15'	15'	20'	30'

E. Height

Building Height	Stories (max.)	Overall (max.)
		F
Height	2	35'


Building Height Stepback

Building height stepback required for portions of building adjacent to or across an alley from Low to Medium Intensity Residential Zone and/or T3 Transect Zone.

Distance from Lot Line of Triggering Property	Allowed Height
Within 50'	Less than or equal to 30'
Greater than 50'	Set by Zone Standards

pg. 2 Public Review Draft January 2017 | City of Austin Land Development Code

T4 Main Street



Transect Zones

Building Envelope Diagram

Street

Side Street

Key for Diagrams

- ROW / Lot Line
- Main Building Envelope

C. Lot Size and Building Types

Building Type	Lot		Width (min.) A	Depth (min.) B	Building Envelope (max.)						
	Buildings per Lot (max.)	Units per Building (max.)			Rear	Side	Width, combined	Depth			
Large House Form					1	1	14'	54'	4'	18'	
Rowhouse: Medium ¹	1	3	18'	100'							
Block Form							36'	14'	54'	4'	18'
Live/Work ¹	1	1	18'	100'	N/A	N/A	N/A	N/A	N/A	N/A	
Main Street	1	—	40'	28'	24'	N/A	N/A	N/A	N/A	N/A	
Accessory Building Form											
Accessory Dwelling Unit	1	1									

¹ Buildings more than 100' shall be designed to read as a series of buildings no more than 75' each.


Key for Subsection D: N/A = Not Allowed, — = No Requirement

4D-2 pg. 84 | Public Review Draft January 2017 | City of Austin Land Development Code

Neighborhood Commercial

23-40-4060
Neighborhood Commercial (NC) Zone

Building Placement Diagram



Key for Diagrams

- ROW / Lot Line
- Building Setback

C. Lot Size and Intensity

Lot Size	Dwelling Units per Acre	Floor Area Ratio
Lot Size	5,750 sf min.	
Intensity		
Limited Subzone	n/a	0.5
Open Subzone without Affordable Housing Incentive	12	0.5
Open Subzone with Affordable Housing Incentive ²	36	0.5

¹ Residential uses are not included in the calculation of a building FAR. Residential units are allowed in addition to maximum FAR.

² To receive density bonus, project must comply with Division 23-3E (Affordable Housing Incentives).

C. Lot Size and Intensity

Lot Size	Dwelling Units per Acre	Floor Area Ratio
Lot Size	5,750 sf min.	
Intensity		
Limited Subzone	n/a	0.5
Open Subzone without Affordable Housing Incentive	12	0.5
Open Subzone with Affordable Housing Incentive ²	36	0.5

¹ Residential uses are not included in the calculation of a building FAR. Residential units are allowed in addition to maximum FAR.

Distance from Lot Line of Triggering Property	Allowed Height
Within 50'	Less than or equal to 30'
Greater than 50'	Set by Zone Standards

T4 Main Street

Transect Zones
23-4D-2140
T4 Main Street (T4MS)

Key for Diagrams

- ROW / Lot Line
- Building Setback Line
- Buildable Area
- Facade Zone
- Accessory Building or Structure Only

D. Building Placement

Setback (Distance from ROW / Lot Line)	Front ¹	Side St. ¹	Side	Rear ²
Primary Building				
Minimum	5'	5'	0'	30'
Maximum	10'	10'	—	—
Accessory Building or Structure				
Minimum	75'	5'	0'	5'
Primary Building Facade within Facade Zone				
Front	75% min.			
Side Street		65% min.		

Miscellaneous

Setback shall be defined by a building within 30' of corner along the front and along the side street.

A building form with a chamfered corner is allowed only on corner lots and if a corner entry is provided.

¹ Additional setback and/or easement may be required where street ROW or utilities easement is required.

² 5' when adjacent to alley.

E. Height

Building Height	Stories (max.)	To Eave/Parapet (max.)	Overall (max.)
Primary Building	3	45'	55'
Accessory Dwelling Unit	2	22'	28'
Accessory Structure	1	—	—

Primary Building

Ground Floor Finish Level^{1, 4}

Height above Curb

- Residential Uses: 18" min.
- Service or Retail Uses: 6" max.

Ground floor lobbies and common areas in multi-unit buildings may have a 0" to 6" ground floor finish level.

Floor-to-Ceiling²

Ground Floor	14' min.
Upper Floor(s)	9' min.

Depth

Ground Floor Space	30' min.
--------------------	----------

³ Buildings existing at the time of adoption of this Land Development Code and additions to those buildings are exempt.

⁴ Primary buildings located on lots sloping down and away from the street are exempt.

Key for Subsections E-F

N/A = Not Allowed -- = No Requirement

City of Austin Land Development Code | Public Review Draft January 2017 4D-2 pg. 85

Neighborhood Commercial

23-4D-4060
Neighborhood Commercial (NC) Zone

Key for Diagrams

- ROW / Lot Line
- Building Setback Line
- Buildable Area

C. Lot Size and Intensity

Lot Size	Dwelling Units per Acre	Floor Area Ratio
Lot Size	5,750 sf min.	
Limited Subzone	n/a	0.5
Open Subzone without Affordable Housing Incentive	12	0.5
Open Subzone with Affordable Housing Incentive ²	36	0.5

¹ Residential uses are not included in the calculation of a building FAR. Residential units are allowed in addition to maximum FAR.

² To receive density bonus, project must comply with Division 23-3E (Affordable Housing Incentives).

D. Building Placement

Setback Minimum (Distance from ROW / Lot Line)	Front	Side St.	Side	Rear
Minimum	20'	15'	5'	5'

Except When Adjacent to Any Low to Medium Intensity Residential Zone and/or T3 Transect Zone.

Lots ≤ 75' wide	15'	15'	10'	30'
Lots > 75' wide	15'	15'	20'	30'

E. Height

Building Height	Stories (max.)	Overall (max.)
Height	2	35'

Building Height Stepback

Building height stepback required for portions of building adjacent to or across an alley from Low to Medium Intensity Residential Zone and/or T3 Transect Zone.

Distance from Lot Line of Triggering Property	Allowed Height
Within 50'	Less than or equal to 30'
Greater than 50'	Set by Zone Standards

pg. 2 Public Review Draft January 2017 | City of Austin Land Development Code

T4 Main Street

Neighborhood Commercial

23-4D-2140
T4 Main Street (T4MS)

Key for Diagrams
 - - - ROW / Lot Line
 - - - Building Setback Line

D. Building Placement

Setback (Distance from ROW / Lot Line)	Front ¹	Side St. ¹	Side	Rear ²
	J	K	L	M
Primary Building				
Minimum	5'	5'	0'	30'
Maximum	10'	10'	—	—
Accessory Building or Structure				
Minimum	75'	5'	0'	5'
Primary Building Facade within Facade Zone				
	75% min.			
	65% min.			

E. Height

Building Height	To Eave/Parapet (max.)	Overall (max.)
Primary Building	3	45'
Accessory Dwelling Unit	2	22'
Accessory Structure	1	—

City of Austin Land Development Code | Public Review Draft January 2017 | 4D-2 pg. 85

23-4D-4060
Neighborhood Commercial (NC) Zone

D. Building Placement

Setback Minimum (Distance from ROW / Lot Line)	Front	Side St.	Side	Rear
	A	B	C	D
Minimum	20'	15'	5'	5'

Except When Adjacent to Any Low to Medium Intensity Residential Zone and/or T3 Transect Zone.

Lots ≤ 75' wide	15'	15'	10'	30'
Lots > 75' wide	15'	15'	20'	30'

E. Height

Building Height	Stories (max.)	Overall (max.)
Height	2	35'

C. Lot Size and Intensity

Lot Size	Dwelling Units per Acre	Floor Area Ratio
Lot Size	5,750 sf min.	
Limited Subzone	n/a	0.5
Open Subzone without Affordable Housing Incentive	12	0.5
Open Subzone with Affordable Housing Incentive ²	36	0.5

City of Austin Land Development Code | Public Review Draft January 2017 | 4D-2 pg. 85

T4 Main Street

Neighborhood Commercial

23-40-2140
T4 Main Street (T4MS)

Transect Zones

Encroachments Diagram

Parking Diagram

Key for Diagrams

- Building Setback Line
- Accessory Building or Structure Only

F. Encroachments

Encroachment Type	Front (max.)	Side St. (max.)	Side (max.)	Rear (max.)
Private Frontage Gallery ¹	14'	14'	N/A	N/A
Architectural Features	3'	3'	N/A	N/A

Encroachments are not allowed within a street ROW, alley ROW or across a Lot Line.

¹ Galleries may encroach into the street ROW to within 2' of the face of the curb, subject to approval by the Public Works Director in compliance with Chapter 14-11 (Use of Right-of-Way).

G. Frontages (continued)

H. Parking

Setback	Front	Side St.	Side	Rear
Minimum	35'	5'	2'	5'

Parking Driveway ≤ 40 spaces > 40 spaces

Width 14' max. 18' max. ¹

Driveways may be shared between adjacent parcels.

When lot has adjacent alley, parking shall be accessed only from the alley.

Key for Subsections G-H

A = Allowed N/A = Not Allowed

4D-2 pg. 86 Public Review Draft January 2017 | City of Austin Land Development Code

23-40-4060
Neighborhood Commercial (NC) Zone

Encroachments Diagram

Key for Diagrams

- ROW / Lot Line
- Building Setback Line
- Encroachment
- Parking Area

F. Encroachments

Encroachment Type	Front (max.)	Side St. (max.)	Side (max.)	Rear (max.)
Architectural Features ¹	2'	2'	2'	2'
Uncovered Steps, Porch, or Stoop ²	3'	3'	3'	3'

See also Section 23-4E-7050 (Encroachments)

¹ Does not apply to a feature required for a passive energy design. See ramp exceptions 23-4E-7050(B)(7).

² A maximum 3' above ground.

Height Encroachment

See Section 23-4E-7050(C) (Encroachments Above Maximum Height)

G. Frontages

None

H. Parking Location

None

I. Impervious Cover

Impervious Cover	% (max.)
Impervious Cover	60% ¹
Building Cover	40%


¹ The maximum impervious coverage may not be attainable due to unique site characteristics, such as trees, waterways, and steep slopes. Where necessary, the project shall reduce the impervious cover to comply with other requirements of this Title.

City of Austin Land Development Code | Public Review Draft January 2017

pg. 3

T4 Main Street

Neighborhood Commercial



Transect Zones

--- Building Setback Line

Access

F. Encroachments

Encroachment Type	Front (max.)	Side St. (max.)	Side (max.)	Rear (max.)
	S	T	U	V
Private Frontage				
Gallery ¹	14'	14'	N/A	N/A
Architectural Features	3'	3'	N/A	N/A

Encroachments are not allowed within a street ROW, alley ROW or across a Lot Line.

¹ Galleries may encroach into the street ROW to within 2' of the face of the curb, subject to approval by the Public Works Director in compliance with Chapter 14-11 (Use of Right-of-Way).

G. Frontages (C)

Pedestrian Access

Pedestrian entrance shall be provided at least every 50' along ground floor facade.

H. Parking

Setback

Minimum

Parking Driveway

Width	Front	Side St.	Side	Rear
	W	S	T	R
Driveways may be shared between adjacent parcels.	35'	5'	2'	5'
When lot has an adjacent alley, parking shall be accessed only from the alley.	≤ 40 spaces	14' max.	18' max.	1'
When lot has no adjacent alley, parking shall be accessed from the street.	> 40 spaces	14' max.	18' max.	1'

G. Frontages

Private Frontage Type	Front	Side St.	Standards
Enclosure	A	A	23-2D-1080
Garage	A	A	23-2D-1100
Garage	A	A	23-2D-1100
Garage	A	A	23-2D-1120
Forecourt	A	A	23-2D-1120
Gallery	A	A	23-2D-1130


¹ Allowed only in T4MS-Open sub-zone.

² Allowed only when necessary to accommodate grade change.

For non-residential uses, loading docks, overhead doors, and other service entries shall be screened and not be located on front street facades.

Key for Subsections G-H
A = Allowed
N/A = Not Allowed

4D-2 pg. 86 | Public Review Draft January 2017 | City of Austin Land Development Code



Encroachments Diagram

Key for Diagrams

F. Encroachments

Encroachment Type	Front (max.)	Side St. (max.)	Side (max.)	Rear (max.)
	F	G	H	I
Architectural Features ¹	2'	2'	2'	2'
Uncovered Steps, Porch, or Stoop ²	3'	3'	3'	3'

See also Section 23-4E-7050 (Encroachments)

¹ Does not apply to a feature required for a passive energy design. See ramp exceptions 23-4E-7050(B)(7).

² A maximum 3' above ground.

Height Encroachment

See Section 23-4E-7050(C) (Encroachments Above Maximum Height)

G. Frontages

None

H. Parking Location

None

City of Austin Land Development Code | Public Review Draft January 2017

pg. 3

T4 Main Street

Transect Zones 23-4D-2140
T4 Main Street (T4MS)

I. Impervious Cover			
Impervious Cover	% (max.)	Standards	
Impervious Cover	80%	23-3D-3	
Building Cover	70%		

See Division 23-3D-8 (Additional Standards in All Watersheds) for additional standards.

The maximum percentage of impervious cover allowed by this Section may not be attainable by a project due to unique site characteristics, such as trees, waterways, and steep slopes. Where necessary, the project shall reduce the amount of proposed impervious cover to comply with other requirements of this Title.

J. Required Open Space			
Open Space Type	Width (min.)	Depth (min.)	Area per Unit (min.)
Common	15'	15'	100 sf
Common (Rowhouse or Live/Work only)	8'	8'	80 sf

Notes

Common open space requirement may be met by ground floor, upper floor, and/or roof common open space.

Common open space requirements shall not be met by open space provided in required front or side-street setbacks, except when provided as an open space as set forth in Division 23-4C-2 (Civic and Open Spaces).

K. Signage		
Total Signs	Number (max.)	
Building Signs	1 per building	
Ground Signs	1 per primary building	

Sign Types	Number (max.)	Standards
Building Signs		
Awning/Canopy ¹	1 per awning	23-8B
Directory ¹	1 per building	23-8B
Hanging ¹	1 per establishment	23-8B
Projecting ¹	1 per establishment	23-8B
Wall ¹	1 per establishment	23-8B
Wall Mural ¹	2 per building	23-8B
Window ¹	1 per establishment	23-8B
Ground Signs		
Landscape Wall ¹	1 per building	23-8B
Yard ¹	1 per building	23-8B

Notes

See Chapter 23-8 (Signage) for exempt and temporary signage standards and additional standards.

¹ Not allowed for residential uses.

L. Site Constraints	
Drainage	See Article 23-10E (Drainage).
Water Quality	See Article 23-3D (Water Quality).
Tree Protection	See Article 23-3C (Tree and Natural Area Protection).
Landscape	See Division 23-4E-4 (Landscape).

City of Austin Land Development Code | Public Review Draft January 2017 4D-2 pg. 87

Neighborhood Commercial

23-4D-4060
Neighborhood Commercial (NC) Zone

J. Open Space	
Private personal	None required
Common open space	5% gross site area ¹
Civic open space	See Section 23-4C-1070

¹ On sites 3 acres or larger, see 23-4D-4050(G).

K. Signage	
See Chapter 23-8	

L. Additional Standards	
Landscaping	
Perimeter Planting Area when adjacent to any Low to Medium Intensity Residential Zone:	
Front or Side Street	
Lots ≤ 75' wide	None required
Lots > 75' wide	Quantity and location of planting within front or side street setback must meet the standards established in Division 23-4E-4 (Landscape).
Side or Rear	Depth (min.)
Lots ≤ 75' wide	First 10' of building setback
Lots > 75' wide	First 20' of building setback
Building and Parking Lot Landscaping	
For Lots > 75' wide: Foundation Planting Area for 75% of parking lot or parking aisle frontage.	
1 story structure	10' min
Greater than one story	20' min
Planting Requirements and Additional Standards	
See Division 23-4E-4 (Landscape)	
Other Standards	
Drainage	See Article 23-10E (Drainage).
Water Quality	See Article 23-3D (Water Quality).
Tree Protection	See Article 23-3C (Tree and Natural Area Protection).
Outdoor Lighting	See Division 23-4E-2

M. Additional Compatibility Standards	
Property adjacent to a Rural Residential (RR), or Very Low Density Residential (VLDR) Zone; and a development that exceeds a height of 35 feet must comply with the following standards:	
A building's exterior glass is required to be either clear or lightly tinted; and	
Exterior light illuminating a building above the second floor is prohibited.	

pg. 4 Public Review Draft January 2017 | City of Austin Land Development Code

T4 Main Street

Neighborhood Commercial

23-4D-2140
T4 Main Street (T4MS)

I. Impervious Cover

Impervious Cover	% (max.)	Standards
Impervious Cover	80%	23-3D-3
Building Cover	70%	

See Division 23-3D-8 (Additional Standards in All Watersheds) for additional standards.

The maximum percentage of impervious cover allowed by this Section may not be attainable by a project due to unique site characteristics, such as trees, waterways, and steep slopes. Where necessary, the project shall reduce the amount of proposed impervious cover to comply with other requirements of this Title.

J. Required Open Space

Open Space Type	Width (min.)	Depth (min.)	Area per Unit (min.)
Common	15'	15'	100 sf
Common (Rowhouse or Live/Work only)	8'	8'	80 sf

K. Signage

Sign Type	Number (max.)	Standards
Total Signs	1 per building	
Building Signs	1 per primary building	
Ground Signs	1 per awning	23-8B
Sign Types	1 per building	23-8B
Building Signs	1 per establishment	23-8B
Awning/Canopy	1 per establishment	23-8B
Directory	1 per building	23-8B
Hanging	1 per establishment	23-8B
Projecting	1 per building	23-8B
Wall	1 per building	23-8B
Wall Mural	1 per building	23-8B
Window	1 per building	23-8B
Ground Signs	1 per establishment	23-8B
Landscaping	1 per establishment	23-8B
Yardscape	1 per establishment	23-8B

City of Austin Land Development Code | Public Review Draft January 2017 | 4D-2 pg. 87

23-4D-4060
Neighborhood Commercial (NC) Zone

J. Open Space

Private personal	None required
Common open space	5% gross site area ¹
Civic open space	See Section 23-4C-1070

¹ On sites 3 acres or larger, see 23-4D-4050(G).

K. Signage

See Chapter 23-8

L. Additional Standards

Landscaping

Perimeter Planting Area when adjacent to any Low to Medium Intensity Residential Zone:

Front or Side Street	Depth (min.)
Lots ≤ 75' wide	None required
Lots > 75' wide	Quantity and location of planting within front street setback shall be determined by the standard set forth in Division 23-4E-2.

Building and Parking Lot Landscaping

For Lots > 75' wide: Foundation Planting Area for parking lot or parking aisle frontage.

1 story structure	10' min
Greater than one story	20' min

Planting Requirements and Additional Standards

See Division 23-4E-4 (Landscape)

Other Standards

Drainage	See Article 23-10E (Drainage).
Water Quality	See Article 23-3D (Water Quality).
Tree Protection	See Article 23-3C (Tree and Natural Area Protection).
Outdoor Lighting	See Division 23-4E-2

City of Austin Land Development Code | Public Review Draft January 2017 | 4D-2 pg. 87

T4 Main Street

Neighborhood Commercial

T4 Main Street (T4MS)

23-4D-2140
T4 Main Street (T4MS)

K. Signage		
Total Signs	Number (max.)	
Building Signs	1 per building	
Ground Signs	1 per primary building	
Sign Types	Number (max.)	Standards
Building Signs		
Awning/Canopy ¹	1 per awning	23-8B
Directory ¹	1 per building	23-8B
Hanging ¹	1 per establishment	23-8B
Projecting ¹	1 per establishment	23-8B
Wall ¹	1 per establishment	23-8B
Wall Mural ¹	2 per building	23-8B
Window ¹	1 per establishment	23-8B
Ground Signs		
Landscape Wall ¹	1 per building	23-8B
Yard ¹	1 per building	23-8B

City of Austin Land Development Code | Public Review Draft January 2017 | 4D-2 pg. 87

Neighborhood Commercial (NC) Zone

23-4D-4060
Neighborhood Commercial (NC) Zone

J. Open Space	
Private personal	None required
Common open space	5% gross site area ¹
Civic open space	See Section 23-4C-1070
¹ On sites 3 acres or larger, see 23-4D-4050(G).	
K. Signage	
See Chapter 23-8	
L. Additional Standards	
Landscaping	
Perimeter Planting Area when adjacent to any Low to Medium Intensity Residential Zone:	
Front or Side Street	
Lots ≤ 75' wide	None required
Lots > 75' wide	Quantity and location of planting within front street setback
Side or Rear	
Depth (min.)	
Lots ≤ 75' wide	First 10' of building
Lots > 75' wide	First 20' of building
Building and Parking Lot Landscaping	
For Lots > 75' wide: Foundation Planting Area for parking lot or parking aisle frontage.	
1 story structure	10' min
Greater than one story	20' min
Planting Requirements and Additional Standards	
See Division 23-4E-4 (Landscape)	
Other Standards	
Drainage	See Article 23-10E (Drainage).
Water Quality	See Article 23-3D (Water Quality).
Tree Protection	See Article 23-3C (Tree and Natural Area Protection).
Outdoor Lighting	See Division 23-4E-2

City of Austin Land Development Code | Public Review Draft January 2017 | 4D-2 pg. 87

T4 Main Street

Consolidated Land Use Tables

Consolidated Parking Tables

Neighborhood Commercial

Consolidated Land Use Tables

Consolidated Parking Tables

RENAMING AND ORGANIZATION



Transect Zones

T3NE

T3N

Non-Transect Zones

LDR

LMDR

ZONE NAMES AND ORGANIZATION

RR	R1	R2	R3	R4
Rural Residential	One Unit By-Right *	Up to Two Units By-Right *	Up to Three Units By-Right *	Up to Four Units By-Right *
RR	R1A (SF1 / VLDR)	R2A (SF2 / LDR + FAR + TENT + CORNER DUPLEX)	R3A (SF3 / LMDR)	R4A (MF1, MF2, MF3 / T4N.IS, T4N.SS, T4N.DS)
	R1B (SF2 / LDR)		R3B (SF3 / LMDR + FAR + TENT)	
	R1C (SF2 / LDR + FAR + TENT)		R3C (SF3 / T3NE)	
	R1D (SF4 / LMDR SMALL LOT)		R3D (SF3 / T3N)	
	R1E (SF4 / LMDR SMALL LOT + FAR + TENT)			

*Note: Additional Units possible with MUP, CUP and/or Affordable Housing Incentives Program.

ZONE NAMES AND ORGANIZATION

RM1	RM2	RM3	RM4	RM5	RM6
RM1A* (MF1, MF2, MF3 / T4NC)	RM2A* (SF5, SF6 / MDR)	RM3A* (MF1, MF2 / MHDR)	RM4A* (MF3, MF4 / HDR)	RM5A* (MF4 / T5U, T5U.SS)	RM6A* (MF5, MF6 / VHDR)
RM1B* (MF2, MF3, MF4 / T5NC)	RM2B* (SF5, SF6 / MDR + FAR + Tent)				

*Note: Additional Units possible with Affordable Housing Incentives Program.

SHAPING THE AUSTIN WE IMAGINE

Help us get it right.

We invite you to review and comment on the draft code document, ask questions, and stay connected.

www.austintexas.gov/codenext
codenext@austintexas.gov



CODENEXT

28-JUN-17